

SUPER HAND

Super efficient way of easy filing, polishing and finishing



SUPER HAND replaces work.

SUPER HAND is ultra-small, ultra-lightweight; yet performs with the power and efficiency of a much larger tool to meet user requirements of filing, chamfering and other jobs.

It comes with the quick-change tool points for different jobs.

You can work on steel, glass, brass, aluminium, wood and other materials silently.

It also handles scores of big jobs with speed and ease.

Model
SH-100A



Model
ASH-800



Weight reduced by half for comfortable operation over long period of time

Flat Bastard File SF-13



Rat Tail File SF-10



Triangular Taper File SF-11



Half Round File (Rat Tail/Double Cut) SF-12



Specifications

Model		SH-100A	ASH-800
Rated Air Pressure	MPa (kgf/cm ²)	0.59 {6}	0.59 {6}
Air Consumption (No load)	m ³ /min	0.24	0.23
Stroke Speed	min ⁻¹	3,700	6,500
Stroke	mm	9	8
Max. Shank dia. of Points	mm	6.3 OD	5.5 OD
Mass (Weight)	kg	1.1	0.52

Standard Accessories

- | | |
|--|---|
| <ul style="list-style-type: none"> • Flat Bastard File SF-13 : 1 pc. • Rat Tail File SF-10 : 1 pc. • Triangular Taper File SF-11 : 1 pc. • Half Rounded File (Rat Tail/Double Cut) SF-12 : 1 pc. • 3 mm Hex. Socket Screw Key : 1 pc. • Bushing PT1/4 x NPT1/4 : 1 pc. | <ul style="list-style-type: none"> • Flat Bastard File SF-13 : 1 pc. • Rat Tail File SF-10 : 1 pc. • Triangular Taper File SF-11 : 1 pc. • Half Rounded File (Rat Tail/Double Cut) SF-12 : 1 pc. • 2.5 mm Hex. Socket Screw Key : 1 pc. • Hi Cupla (HA-65SNG) : 1 pc. |
|--|---|

Optional Accessories


Rubber Pad Ass'y for SH-100A



Sanding Pad Ass'y for ASH-800



Supporter Ass'y for SH-100A



For Super Hand SH-100A & ASH-800

PN	Part Name	Q'ty
TA9A222	Rat Tail SF-10	5 pcs.
TA9A223	Triangular Taper File SF-11	5 pcs.
TA9A224	Half Rounded File (Rat Tail/Double Cut) SF-12	5 pcs.
TA9A225	Flat Bastard File SF-13	5 pcs.
TA91752	Rubber Pad Ass'y for SH-100A	1 set
TA94625	Supporter Ass'y for SH-100A	1 set
TB04319	Sanding Pad Ass'y for ASH-800	1 set