

HYDRAULIC SYSTEMS FOR RAIL WEB ELECTRICAL CONNECTIONS AR...., TYPE

HTEP

System consisting of:

- a** – Hydraulic tool type **HTEP-S**, manually operated.
Head connected to the pumping body through a flexible pipe 900mm long
- b** – 2 units of plungers **OG 13.2** type in special steel
- c** – type **19.20** calibre for both check of the rail hole and for screwing of the plunger into the **HTEP-S** tool
- d** – metal case type **VAL HTEP**.




Dimensions

Pump body:	length	275 mm
	width	130 mm
Head dimensions:	length	106 mm
Total weight:	3 kg

RHTEP

System consisting of:

- a** – Hydraulic head type **RHTEP-S** to be connected to a pump developing a nominal pressure of 700 bar
- b** – 2 units of plungers **OG 13.2** type in special steel
- c** – type **19.20** calibre for both check of the rail hole and for screwing of the plungers itself into the head
- d** – metal case type **VAL RHTEP**



Dimensions:	length	106 mm
Weight:	1,1 kg

KIT AR 67 INST

Including:

- **CAL 8.85** Gauge
- **M9 M5** Adapter
- **OG 6.5** Plunger

For the installation of the electrical contact **AR 67** type



BTEPD2

System composed by:

- Hydraulic portable battery tool with the head directly connected to the body through a 900 mm flexible hose.
- N° 2 calibrated plungers type **OG13.2** made of special steel
- **CAL 19.20** gauge to use both for checking rail drills and screwing the calibrated plunger to the head.
- Spare battery
- Battery charger
- Wrist strap and shoulder strap
- Canvas bag.



EXTRACTOR TO REMOVE BUSHES AR 60-1. FROM THE RAILS

ECR19+ECR1 Kits

In order to remove **AR60D** bushes from the rail, available as an optional accessory the **ECR 19** kit (punch + puller) with positioner **ECR-1**. For use please refer to the following picture

